

Getac

 **RedLinX**[™]
Embedded Solutions
www.redlinx.co.za

A Compact Rugged Smartphone Designed for Seamless Connectivity *Tougher Than Ever*

Getac MH132
Fully Rugged Smartphone



MH132

Fully Rugged
Smartphone

MH132 Fully Rugged Smartphone



HSPA



Lightweight



GPS



3.2M Pixels
Camera



Long Battery
Life



Microsoft Windows Mobile® 6.5
Professional



- MIL-STD-810G Compliance and IP65 Certified
- Microsoft Windows Mobile® 6.5 Professional
- WWAN (HSPA / HSDPA / UMTS / EDGE / GPRS / GSM)
Wi-Fi and Bluetooth™ Connectivity Built-in
- Field Replaceable Li-ion Battery with Long Battery Life
- 3.2" HVGA TFT LCD
- 3.2M Pixels Camera
- Support microSD Card Capacity Up to 32 GB
- Micro-USB Slot for Charging and Data Synchronization

The IP65 certified and MIL-STD-810G compliance Getac MH132 is a fully rugged smartphone, resistant to liquid, dust and shocks. Its light-weight and pocket-friendly design allows users to take full advantage of this device, also a valuable work partner, wherever they are.

MH132 features impeccable scalability and connectivity with maximum 32GB microSD memory and wireless connections including 3.75G WWAN, GPS and Bluetooth, bringing users smooth communication and data transmission anytime, anywhere. For outdoor professionals, MH132 offers peace of mind by eliminating concerns for work interruption due to rainy weather or accidental drop of phone, delivering total convenience and a worryfree user experience.

With business clients in mind, MH132 comes with Microsoft Windows Mobile® 6.5 Professional operating system for a seamless integration with existing IT infrastructure as well as easier application development, allowing clients to achieve optimal work-flow efficiency. MH132 as a fully rugged smartphone, along with its design for prolonged product life span, presents businesses with the most cost-effective solution as it will enable companies to reduce total cost of ownership (TCO) dedicated to hardware maintenance and replacement.

Interface



Top

- Audio output x 1



Right Side

- Volume control button x 2
- Camera button x 1



Bottom

- Micro-USB x 1



Left Side

- Power button x 1



Back Side

- Speaker x 1
- Camera x 1
- Battery cover x 1

Industry Applications



Transportation

Understanding the demand of transportation and logistics sectors for dispatch accuracy and responsiveness, MH132 provides world-leading voice and data transmission coverage for dispatched personnel through its 3.75G WWAN connection capability. Transport and logistics personnel are now freed from worrying about missing instructions and able to report work progress in a timely manner. The device also helps improve efficiency with its route planning feature thanks to a built-in GPS.



Field Service

For professionals who conduct maintenance, repair and exploration work outdoor, a device's sturdiness and mobility are of paramount importance. In addition to its light-weight and pocket sized design, the IP65 certified and MIL-STD-810G compliance MH132 is resistant to drop from up to 1.5 meters height. This water, dust and shock proof technology is proven to meet all necessary requirements for outdoor operations. MH132's long-lasting battery life also means uninterrupted work process, allowing each mission to be executed to its perfection.



Field Sales

MH132 presents comprehensive field sales support by empowering sales personnel to access relevant information in time via seamless connection between the handheld device and business back-end IT system. With its Microsoft Windows Mobile® Professional operating system, MH132 is designed to allow easier application development and greater compatibility, improving cost-effectiveness for companies by eliminating the need for additional program developers. This technology also brings values in its contribution to a leaner operation process, greater productivity and better customer service.

Optional Accessories



Vehicle Charger

- 5W, 12-24VDC




AC Charger

- 5W, 100-240VDC



Carry Bag



Standard Battery
(1030 mAh)



Extended Battery
(2060 mAh)



Battery Cover



USB Cable



Screwdriver



Hand Strap Stylus



Headset



Vehicle Mount

Specifications

Operating System	Genuine Windows Mobile® 6.5 Professional
Mobile Computing Platform	Qualcomm MSM7227 600 MHz
Display	3.2" TFT LCD HVGA (480 x 320) Pressure sensitive touchscreen
Storage & Memory	256MB MDDR 512MB NAND flash
Keypad	4 functional key x 4 Volume control key x 2 Camera key x 1 Power key x 1
Expansion Slot	microSD card slot (up to 32GB SDHC memory card) x 1
I/O Interface	USB (client 2.0; 4-pin Micro-B type; DC power-in(5v, 1A)) x 1 Audio output x 1 Microphone x 1 Speaker x 1
Communication Interface	WWAN (HSUPA / HSDPA / UMTS / EDGE / GPRS / GSM) 802.11 b/g Bluetooth (v2.1+EDR class 2) GPS with A-GPS support (with internal antenna)
Software	Microsoft Internet Explorer Mobile® Microsoft® Windows Media® Player 10 Mobile
Power	AC adapter (5W, 100-240VAC; 50 / 60 Hz) Li-Ion smart battery (1030mAh) (up to 4 hours of battery life) ⁱ
Dimension (W x D x H) & Weight	13.6 x 7.0 x 2.5 cm (5.35" x 2.76" x 0.98"), 215 g (7.58 oz) ⁱⁱ
Field Service Feature	GPS 3.2M pixels camera

Rugged Feature	MIL-STD-810G compliance and IP65 certified Tamper-proof plastic case Vibration resistant Drop resistant (26 drops from 1.52m / 5ft) Tumbling resistant (250 cycles; 0.5 m / 1.6 ft)
Environmental Specification	Temperature: - Operating: -21°C to 43°C / -5°F to 109°F - Storage: -25°C to 63°C / -13°F to 145°F Humidity: - 95% RH , non-condensing
Alphanumeric Data Entry	Soft input panel (SIP) on screen keyboard Transcriber handwriting recognition Nuance XT9™ SIP
Security Feature	WiFi for WPA / WPA2 operation Authentication: OPEN, SHARED-KEY, PEAPv0/EAPMSCHAPv2, EAP-TLS Encryption: WEP, AES, TKIP
Regulation	CE, FCC, A-Tick, cTUVus
Inbox Accessory	AC charger USB cable Hand strap stylus Quick start guide Battery Headset Screwdriver



i Battery performance will vary with software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. Battery life and charge cycles vary by use and settings.

ii Weight varies from configurations and optional accessories.



Getac EUROPE

Germany Office - Getac Technology GmbH
Kanzlerstrasse 4
40472 Düsseldorf, Germany
Tel: +49 211 984 8190

Italy Office

Via Belvedere,
57 20043 Arcore (MB)
Tel. +39 039 617720

UK Office - Getac (UK) Ltd.

Mitac house, Nedge Hill, Telford,
Shropshire, TF3 3AH, U.K.
Tel: +44 1952 207 231

Getac NORTH AMERICA

USA Office - Getac Inc.
43 Tesla, Irvine, CA 92618, USA
Toll Free: +1 886 GO GETAC
(1 886 464 3822)

Getac ASIA

China Office - Getac Mobile Ltd.
- **Kunshan Office:**
No.300 (Building, Processing Zone),
No.1 Avenue, Export Processing
Zone, Changjiang South Road,
Kunshan City, Jiangsu, China
Tel: +86 512 57366000 # 1408
Fax: +86 512 57382090

- Shanghai Office:

2/F, No.213, Jiangchang Third Road,
Zhabei District, Shanghai, China
Tel: +86 21 61431188 # 1032
Fax: +86 21 61401023

- Beijing Office:

Room 501, Haowei Building,
No.25 Beitai Pingzhuang Rd.,
Haidian District, Beijing, China
Tel: +86 10 62381104
+86 10 62381108 # 2040

Japan Office - MiTAC Japan Corporation
Yasuda 8th Building 6F,
Kaigan 3-chome 3-8, Minato-ku,
Tokyo, 108-0022, Japan
Tel: +81 3 3769 8311 # 6411

Taiwan Office - Getac Technology Corporation
5F, Building A, No. 209,
Section 1, Nangang Rd.,
Nangang Dist., Taipei City,
11568, Taiwan, R.O.C.
Tel: +886 2 2785 7888

SALES CONTACT

North America
ruggedsales@getac.com

South America
sales-getac-SAmerica@getac.com

EMEA
sales-getac-EMEA@getac.com
- **Germany:**
sales-getac-DACH@getac.com
- **Italy:**
sales-getac-Italy@getac.com
- **UK:**
sales-getac-UK@getac.com

Asia Pacific
sales-getac-APAC@getac.com
- **China:**
sales-getac-China@getac.com
- **Japan:**
sales-getac-Japan@getac.com

MARKETING CONTACT

Global
Globalmarketing@getac.com

North America
NorthAmericamarketing@getac.com

South America
SouthAmericamarketing@getac.com

EMEA
EMEAmarketing@getac.com

Asia Pacific
APACmarketing@getac.com

www.getac.com

Copyright © 2011 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved. All specifications are subject to change without notice.
V02M03Y11